



**Featured Items  
in this Catalog:**



**NEW! Luxxor® Portable Video Camera**

The new Luxxor® Portable Video Camera quickly and easily attaches to any Hawkeye® Rigid or Flexible Borescope, and most other brands as well. Now, any borescope can instantly become a videoscope!

See pages 8 - 9 for details.



**NEW! Hawkeye® V2 Video Borescope**

Hawkeye® V2 Video Borescopes deliver world-class image quality, 4-way articulation, superior construction, in 4 or 6 mm diameters, all starting at only \$7995! Video and still image capture is quick and easy. Made in USA.

See pages 6 - 7 for details.

**Gradient Lens Corporation®**

207 Tremont St., Rochester, New York 14608



Your Eye Inside™



**Gradient Lens Corporation®**

Catalog Volume IX.1

**The Finest Borescopes at the Best Prices • Made in USA**



**What's Inside...**

**Intro to Borescopes**  
 President's Message.....3  
 Choosing Borescopes.....4 - 5

**Video Borescopes**  
 Hawkeye® V2 Video Borescopes .....6 - 7  
 Luxxor® Portable Video Camera .....8 - 9  
 Hawkeye® Classic Flexible Video ..... 10  
 Luxxor® Video Microscope..... 11  
 Luxxor® Video Systems.....12 - 13

**Hawkeye® Rigid Borescopes**  
 Pro Rigid Borescopes .....14 - 17  
 Classic Rigid Borescopes .....18 - 19  
 Blue Rigid Borescopes .....20 - 21

**Hawkeye® Flexible Borescopes**  
 Pro Flexible Borescopes.....22 - 23  
 Blue Flexible Borescopes .....24 - 25  
 Classic Flexible Borescopes ..... 26  
 Pro MicroFlex & Semi-Rigid Borescopes ..... 27

**Lighting & Accessories**  
 Handheld Light Sources .....28  
 Luxxor & UV Light Sources .....28 - 29

**Accessories & Components**  
 Customer Service..... 29  
 Hawkeye® Accessories.....30  
 Hawkeye® Components.....30 - 31  
 Repairs..... 31

**Gradient Lens Corporation®**




Gradient Lens Corporation is very proud to introduce the latest addition to our line of Hawkeye Precision Borescopes – the new V2 Video Borescope! Our newly redesigned Hawkeye V2 Video Borescopes (pgs. 6 - 7) are leading the industry in high quality, affordable, light weight, portable, visual inspection. We designed and manufacture the Hawkeye V2's to offer the best quality, at the best price, delivering bright, high-resolution video and still images, large range of focus, smooth articulation, and durable tungsten sheathing. The new Hawkeye V2's are the best value of any videoscope on the market today!

We have also launched our new Luxxor® Portable Video Camera (pgs. 8 - 9), which allows any Hawkeye Rigid or Flexible Borescope to instantly become a videoscope. The Luxxor Camera quickly and easily attaches to virtually any borescope so that images can be displayed on a hand-held portable video monitor. Still images and video footage can also be captured on an SD Memory Card.

Hawkeye Precision Borescopes have been known for their world-class optics and great value for over 18 years... those are the business principles we built our company on over 30 years ago. Today, with over 80 different models of rigid, fiberoptic, and video borescopes, all Hawkeye® Precision Borescopes continue to be manufactured according to those same values.

Our Hawkeye Rigid, and fiberoptic Hawkeye Flexible Borescopes, continue to be the foundation of our product lines. Manufactured in our Rochester NY facility, Hawkeye Pro Rigids incorporate our latest, patented, e2 endoGRINs® relay lenses, and are hands down the best quality and value in the industry. Our Hawkeye Pro and Blue Flexible fiberoptic scopes, manufactured in our Southern CA plant are top notch, both optically and mechanically, and designed and manufactured to continue our tradition of quality and value. We invite you to compare our Hawkeye scopes to the competition, and see the difference.

Sincerely,  
  
 Dr. Douglas S. Kindred  
 President and Chief Scientist



**Send Us Your Parts!**  
 For inspection solutions and photographs to prove it!  
**800.536.0790**

Gradient Lens Corporation  
 207 Tremont Street, Rochester, NY 14608  
 Phone: (585) 235-2620 • Fax: (585) 235-6645




Gradient Lens Corporation West  
 4647 Jackson Lane, Unit D, Phelan, CA 92371  
 Phone: (760) 868-5812 • Fax: (760) 868-5813

gradientlens.com • info@gradientlens.com • 800.536.0790

**Rigid Borescopes**

The heart of a rigid borescope design is the relay lens system. Gradient Lens Corporation's patented endoGRINs® design makes lens manufacturing and assembly easier and less costly, without sacrificing image quality.




Our patented endoGRINs® gradient index lenses are the core technology of Hawkeye® Pro and Classic Rigid Borescopes. The elegant simplicity of the endoGRINs design gives excellent optical quality at a much lower cost than traditional alternatives, like the Hopkins design, which uses many expensive micro-lenses and optical glass rods.

As described above, rigid borescopes use traditional, glass optics to relay the image. If your entry path is straight, a rigid borescope delivers excellent image quality and can be more cost-efficient than either fiberoptic or video borescopes.


**Fiberoptic Borescopes**

Fiberoptic borescopes use optical glass fibers to relay the image. Resolution depends on the number of fibers and their diameter. Each fiber forms a pixel in the final image. If your entry path is not straight, fiberoptic borescopes have the advantages of flexibility and articulation.




**Video Borescopes**

When compared with any other type of borescope, video borescopes deliver the best combination of image quality and convenience. Videoscopes transmit light through the objective lens to miniature video cameras, which then convey the image to a portable handheld monitor, or laptop and desktop computers. When portability, still and video image capture, and image storage and documentation are key factors, a videoscope is the right choice.




**Direction-of-View (DOV)**

Hawkeye Pro and Classic Rigid Borescopes see straight-ahead (0°) and sideways (90°) with a mirror tube that slides over the borescope tube, making them two borescopes in one.




The mirror tube rotates the view over a full 360°, using the knurled knob. Our new mirrors are robust and durable for easy cleaning.

Hawkeye® Blue Rigid Borescopes use prisms to achieve the direction-of-view.




**Field-of-View (FOV)**



Most inspection situations need a "normal" objective lens (like a typical camera) with an angle of about 40°.

Wider lenses see more, but at a lower magnification, giving less detail. Magnification increases as the borescope approaches the subject, unlike a microscope objective, which gives a fixed magnification at one object distance.

**Magnification Versus Subject Distance**




In 1995, Gradient Lens Corporation made only one model of borescope. Now we offer more than 80 rigid, flexible, and video Hawkeye® borescopes, and a complete system of interchangeable accessories.



**Hawkeye® Rigid Borescopes**


Choose a Hawkeye® Rigid Borescope when the entry path is straight. Rigid borescopes have better image quality, and are more durable and less expensive, than flexible scopes. Hawkeye® Classic and Pro Rigid Borescopes have DOV's of 0°, 30°, and 90°. Hawkeye® Blue Rigid Borescopes offer a wider selection of DOV's and lengths. Pgs. 14 - 21



Button rifled .204 Ruger as seen with a Hawkeye Pro Slim 17"



Diesel injector body taken with a Hawkeye Pro Hardy 7"



Burr in a cross hole in an ABS brake manifold viewed with a Hawkeye Pro Slim 7"




**Hawkeye® Flexible Borescopes**

When your entry path is curved, you'll need a Hawkeye® Pro, Classic, or Blue Flexible Borescope. With 0-, 2-, or 4-way articulation, up to 25,000 pixel image resolution, and flexible, durable, tungsten sheathing, Hawkeye® Flexible Borescopes are the finest fiberscopes on the market. Pgs. 22 - 26



A complex casting is inspected using a Hawkeye Pro Flexible



Interior of aluminum casting viewed with a Hawkeye Pro Flexible with 90° adapter



Timing chain in Honda 500 cc motorcycle engine using a Hawkeye Pro Flexible




**Hawkeye® Semi-Rigid Borescopes**

Hawkeye® Pro MicroFlex Semi-Rigid and Flexible Borescopes offer diameters as small as 0.5 mm, and a 10,000 or 30,000 fiber image bundle, all in "bendable," semi-rigid, Nitinol or polyimide sheaths. Pg. 27



A Hawkeye Pro MicroFlex Semi-Rigid borescope inspecting a very small electrical socket



Medical tubing is inspected for flaws or defects with a 0.9 mm Hawkeye Pro MicroFlex Flexible



An electrical circuit board as seen with a 0.9 mm Hawkeye Pro MicroFlex Flexible

**Hawkeye® Video Borescopes**

The new Hawkeye® Pro V2 Video Borescopes represent our next generation of fully portable, articulating, videoscopes. The V2 has a large focus range, is bright, and delivers high-res images and video. The V2 is available in diameters of 4 and 6 mm and has 4-way articulation. Pgs. 6 - 7 Non-articulating Hawkeye Classic Flexible Video Borescopes are affordable and functional. Pg. 10




**Luxxor® Portable Video Camera**

The new Luxxor® Portable Video Camera quickly and easily attaches to any Hawkeye® Rigid or Flexible Borescope, and most other brands as well. Now, any borescope can quickly and easily become a videoscope, simply by attaching the borescope to the video coupler of the Luxxor Portable Camera.

The new Luxxor Camera allows users to view internal visual inspection images on portable or benchtop video monitors, or on laptop or desktop computers. Video footage, and photos, can then be viewed "live," and saved, documented, and e-mailed. Pgs. 8 - 9

**Luxxor® Video Systems**

Connect any Hawkeye® Rigid or Flexible Borescope to a video camera and display the image on a computer or video monitor. Store, document and e-mail images as well. Pgs. 12 - 13





**The next generation of fully-portable, articulating video borescopes!**

Made in USA

Bright, High-Res Video and Still Images

Integrated 5" LCD Monitor

SD Memory Card

Close-Focus Tip (Optional)

90° Prism Tip (Optional)

Rugged, Tungsten 4-Layer Sheathing

V2 LED Light Source

4-Way Articulation Remotely controlled

4 and 6 mm Diameters

.157" and .240"




Each Hawkeye® V2 Video Borescope Kit Contains:

- Standard Kits Include:**
- Hawkeye® V2 Video Borescope
  - Monitor Battery Charger
  - Monitor Spare Battery Charger
  - USB Cable
  - Video Cables
  - V2-LED Light Source & Spare Batteries
  - V2-LED Light Source Charger & Batteries
  - Spare Monitor Battery
  - 2 GB SD Memory Card
  - Rugged Hawkeye® Carrying Case

- Deluxe Kits Also Include:**
- 90° Prism Tip
  - Close-Focus Tip
  - V2 Stand
  - V2 Rigidizer

Aircraft and Power Generation maintenance teams can quickly and easily inspect turbine blades, combustion chambers, cooling tubes, and much more, all without the need for costly and time consuming engine and system tear-down. Foundries can inspect for flash, sand, and voids inside complex castings.

Hawkeye V2 Video Borescopes deliver the same image quality, portability, and articulation of scopes costing three times as much.



Using the Close-Focus tip, fine cracks are detected inside a combustion chamber.



Made in USA

**Hawkeye® V2 Video Borescope Specifications**

Diameter .....	4.0 or 6.0 mm
Lengths .....	1.5, 3.0, and 6.0 meters
Articulation .....	150° up/down, 150° right/left
Field-of-View .....	70° diagonal
Depth-of-Field .....	15 mm - ∞
Depth-of-Field with Close-Focus Tip, 0° .....	4 mm - 22 mm
Direction-of-View .....	0°, 90° with optional Prism Tip
Sheath .....	2 mil tungsten braid, durable 4-layer construction
Illumination .....	Detachable micro LED with intensity adjustment
Display .....	5" TFT LCD
Interfaces .....	Mini USB 1.1 and AV/out
Power .....	DC 5V
Battery .....	2.5 hr. run time, rechargeable lithium
Recording Media .....	SD card (up to 2GB)
Digital Photo Format .....	JPEG (640 X 480)
Video Format .....	ASF (640 X 480), Playback with Windows Media Player

**Hawkeye® V2 Deluxe Kits**

Diameter	Length	Articulation	Model #	Price
4 mm	1.5 m (4'11")	2-way	V2D 040 1500 2	\$9,995
4 mm	1.5 m (4'11")	4-way	V2D 040 1500 4	\$10,995
4 mm	3.0 m (9'10")	4-way	V2D 040 3000 4	\$12,995
6 mm	1.5 m (4'11")	4-way	V2D 060 1500 4	\$9,995
6 mm	3.0 m (9'10")	4-way	V2D 060 3000 4	\$10,995
6 mm	6.0 m (19'8")	4-way	V2D 060 6000 4	\$14,995

V2 Deluxe Kits contain all the accessories in a Standard Kit, plus the Close-Focus Tip, 90° Prism Tip, V2 Stand, and V2 Rigidizer.

**VIDEO BORESCOPIES**

- Bright, High-Res Video and Photos
- Large Range-of-Focus
- Quality Construction
- 4-Way Articulation
- 4 & 6 mm Diameters
- Starting at Only \$7,995

We've improved the image quality in the new Hawkeye® V2 with a higher resolution, more light sensitive camera, delivering bright, crisp, clear images! The new 5" LCD Monitor provides comfortable viewing, and intuitive, easy-to-use controls, allow photo and video capture at the touch of a button! We've increased the 4-way articulation range, as well as the field-of-view and depth-of-field. It's still small, lightweight, portable, delivers great image quality, and is priced starting at only \$7,995. Available in 4 and 6 mm diameters. Optional 90° Prism and Close-Focus adapter tips available.

**Hawkeye® V2 Video Borescope Kits**

Diameter	Length	Articulation	Model #	Price
4 mm	1.5 m (4'11")	2-way	V2 040 1500 2	\$7,995
4 mm	1.5 m (4'11")	4-way	V2 040 1500 4	\$8,995
4 mm	3.0 m (9'10")	4-way	V2 040 3000 4	\$10,995
4 mm	90° Prism Tip	NA	V2 PTIP 4 90	\$995
4 mm	Close-Focus Tip	NA	V2 TIP 4CF	\$995
6 mm	1.5 m (4'11")	4-way	V2 060 1500 4	\$7,995
6 mm	3.0 m (9'10")	4-way	V2 060 3000 4	\$8,995
6 mm	6.0 m (19'8")	4-way	V2 060 6000 4	\$12,995
6 mm	90° Prism Tip	NA	V2 PTIP 6 90	\$995
6 mm	Close-Focus Tip	NA	V2 TIP 6CF	\$995

All models are usually in stock. However, occasionally due to overwhelming demand, stock levels fluctuate. Please call our sales team for delivery estimates.



**Look inside...with video! Turn ANY borescope into a portable videoscope in just seconds!**

Made in USA




**Connects to ANY Hawkeye® Rigid or Flexible Borescope**

**Each Luxxor® Portable Video Camera Kit contains:**


- Luxxor® Portable Camera
- Portable Video Monitor
- Video Cables
- SD Memory Card
- Tripod
- AC Power Adaptor
- Rugged Hawkeye® Pro Carrying Case



**Completely Portable Visual Inspection Inside...**



**Machined Parts**



**Castings**



**Welded Parts**

When connected to any Hawkeye® Rigid or Flexible Borescope, and most other brands, the new Luxxor® Portable Video Camera delivers sharp, bright video and still images. Inspection images can be viewed "live," and captured, stored, and documented. You can view video on our Portable Video Monitor, or any computer or benchtop video monitor.

**Luxxor Portable Video Camera**

Product	Model#	Price
Luxxor Portable Video Camera*	LPC	\$1,095
Luxxor Portable Video Camera Kit**	LPC-PVM	\$2,475

**Viewing Options**

Portable Video Monitor***	PVM-DV	\$1,095
USB2 Image Capture Device & Software	VC-USB2	\$435
Sony® Professional Video Monitor	SVM-15	\$1,350

**Accessories**

Video Cable (LPC to PVM)	DV-MCBL	\$150
Video Cable (LPC to ext. monitor, VC-USB2, or, RCA)	DV-YCBL	\$225
Hawkeye® LED Light	HAWKEYE LED	\$135
Tripod (Attaches to PVM)	DV-Tripod	\$50
BNC Adaptor (BNC input to RCA output from DV-YCBL adaptor)	DV-BNC	\$6
Aluminum Carrying Case (w/die cut foam insert)	PCC	\$195

\* Includes Luxxor Portable Camera & Video Cable DV-YCBL (RCA output)

\*\* Includes Luxxor Portable Camera, Portable Video Monitor, Hawkeye® LED Light, PVM Video Cable, #DV-MCBL Video Cable, Video Cable for Additional Monitor, DV-YCBL, Tripod Stand, SD Memory Card, & PCC Carrying Case

\*\*\* Includes Portable Video Monitor, LPC Video Cable #DV-MCBL, Tripod Stand, SD Memory Card

**3 Viewing Options:**



**Portable Video Monitor:**  
Portable video monitor with image capture



**Computer Ready:**  
USB capture device with software



**Sony® Professional Video Monitor:**  
15" LCD monitor

**Luxxor® Portable Video Camera Specifications**

Image Sensor.....	1/4" Color CCD
Lens .....	Built in 25 mm borescope coupler lens
Mount.....	Quick release, ball bearing mount couples 32 mm borescope eyecup securely to the camera
Video Format.....	NTSC
Resolution .....	768 x 494 pixels (520 TV lines)
S/N Ratio.....	48DB + Min.
Illumination.....	0.2 Lux at F/1.2 (without borescope)
Shutter Speed .....	1/50 - 1/100,000
Working Temperature.....	-10 to 45° C
Power Supply.....	5 - 12 V DC, 80 mA
Output.....	Standard cable is RCA composite video, or, 12 PinHi-ROSE with portable video monitor
Length .....	160 mm
Handle Diameter .....	32 mm
Coupler Lens Diameter .....	44.5 mm



Made in USA



**Low-cost, non-articulating, high quality, and fully portable!**

Made in USA

**PRECISION BORESCOPIES**

Hawkeye® Classic Flexible Video Borescopes are the perfect choice when portability, and easy image capture, are key factors. These high quality, affordably priced video borescopes are much more durable than fiberoptic borescopes, low cost, and completely portable. Hawkeye Classic Flexible Video Borescopes come complete with video monitor, LED light source, and image capture capability, all in one, easy-to-use device.

Classic models are 8 mm in diameter, non-articulating, and come with plastic coated stainless steel gooseneck sheathing which takes a set before insertion into a cavity. Hawkeye Classic Flexible Video Borescopes are available in standard lengths of 1.5, 3.0, 6.0, and 12.0 meters. Custom length scopes are available by special order.

**Hawkeye® Classic Flexible Video Borescope Specifications**

Diameter .....	8.0 mm
Lengths .....	1.5, 3.0, 6.0, and 12.0 meters
Articulation .....	None
Field-of-View .....	50°
Direction-of-View .....	0°, or use 90° tip
Sheath .....	Stainless steel gooseneck covered with PVC
Illumination .....	Micro LED with intensity adjustment
Display .....	3.5" TFT LCD
Interfaces .....	Mini USB 1.1 and AV/out
Power .....	DC 5V
Battery .....	2.5 hr. run time, rechargeable lithium
Recording Media .....	SD card (up to 2GB)
Digital Photo Format .....	JPEG (640 X 480)
Video Format .....	ASF (320 X 240), playback with Windows Media Player



**Plastic Coated, Stainless Steel Gooseneck Sheath**

**Bright, Clear Images**  
5x higher definition than fiberscopes

**Lengths of 1.5 - 12 m**

Outside Diameter  
.315 inches (8 mm)

**Still Image Capture**  
**Video Capture**



**90° Tip (Optional)**



**Hawkeye® Classic Flexible Video Borescopes**

Diameter	Length	Articulation	Sheath	Model #	Price
8.0 mm	1.5 m	None	Gooseneck	CVS 080 1500	\$2,695
8.0 mm	3.0 m	None	Gooseneck	CVS 080 3000	\$3,195
8.0 mm	6.0 m	None	Gooseneck	CVS 080 6000	\$5,995
8.0 mm	12.0 m	None	Gooseneck	CVS 080 12000	\$8,995

**Microscope / Borescope Inspection Station**

*Easily converts from microscope to borescope, for external or internal inspections*




**VIDEO MICROSCOPE**

The Luxxor® Video Microscope can be used both as a microscope or with a borescope. The high quality, f/4.5 zoom lens delivers sharp, close-up views of the exterior of any object placed on the microscope's 15" x 10" table. Built-in, flexible gooseneck, LED illumination provides ample, versatile, convenient illumination. Generous column height allows viewing of objects up to 16 inches high. Additionally, any Hawkeye® Precision Borescope, and most other borescopes, can be quickly and easily mounted with an optional adapter, allowing high-quality, close-up, internal inspection.

**Built-in Lighting**  
Variable intensity LED lights on flexible stalks provide versatile lighting

**f/4.5 Zoom Lens**  
15x - 83x magnification,\* adjustable iris for increased depth-of-field, 90 mm working distance



**Video ToolBox Software**  
Image and video capture plus measurement and labeling

Made in USA

**Key Benefits:**

- Conduct internal and external inspection
- Capture video or still images
- Metrology feature allows accurate measurement
- Document, store, and e-mail results
- A more comfortable, ergonomic alternative to stereo microscopes

**Luxxor® Video Microscope Specifications:**

System Magnification.....	15x - 200x**
F/# .....	4.5
Working Distance .....	90 mm
Field-of-View .....	24 mm - 4.0 mm
Resolution in Object Space .....	5 microns
Camera .....	1.3 MP (1280 x 1024 pixels), 1/2" CMOS
Stage .....	2-axis with rack and pinion focusing
Measurement Accuracy .....	+/- 0.001" at 15x ,
Illumination Unit .....	2 adjustable, LED Goosenecks
Video Output.....	USB 2.0
Power Supply .....	110 VAC
Table Size .....	15" x 10"
Maximum Object Height .....	16"

**Computer requirements:** Windows 2000/XP/VISTA computer, Pentium 1.8 GHz processor or better, Minimum 512KB RAM, Free USB 2.0 high speed port.

\*\*With 2.5x Converter.



As a microscope



With a borescope  
(with optional VC-35 Video Coupler)

**Luxxor® Video Microscope & Accessories**

Product	Model #	Price
Luxxor® Video Microscope	LVM-1	\$4,995
Borescope Adapter (optional)	VC-35	\$395
25 mm Lens ( ~ 7x magnification)	LVML-25	\$590
12 mm Lens ( ~ 3.5x magnification)	LVML-12	\$500
1.5x Converter	1.5X CVTR	\$55
2.5x Converter	2.5X CVTR	\$55

Borescopes and video coupler sold separately. Computer and monitor not included.  
\*Based on 19" monitor.



**Connect any Hawkeye® Borescope to a Luxxor® Video System!**



*The Luxxor® Video System can be used with any laptop or desktop computer, or video monitor. Video and still images can be captured, stored, documented, and e-mailed.*

Video Slide sold separately. Computer not included.

**We'll help you put together the right system for your specific inspection needs!**

### Luxxor® Video System

The Luxxor® Video System connects to **any** rigid or flexible Hawkeye® Precision Borescope, as well as most other borescope brands. The benefits of using the Luxxor Video System include the ability to:

- Easily document inspections and store video or still images
- Share inspection images via e-mail or hard copy
- Hold group reviews of inspection images displayed on a video monitor
- Easily and quickly conduct repetitive inspections by relieving the physical and mental fatigue of inspectors

Made in USA



**Live video using any Hawkeye® Borescope!**



**Sony® Video Camera**  
1/3-type Super HAD II CCD – High resolution and true color

**Luxxor® Video Coupler Lens**  
Clamps to borescope eyecup and fits video camera C-Mount

**The Hawkeye® Video Borescope Slide** makes inspections faster, and the resulting video images much more stable. The video slide was expressly designed for repetitive inspections and capturing borescope images. The Hawkeye Video Borescope Slide features:

- Three axis adjustments providing flexibility and easy setup
- An adjustable stop that sets the inspection depth to easily locate a point of interest and prevents damage to the borescope tip
- Locking mechanisms on all three axes that ensure repeatable results and allow users to slide either the borescope, or the part being inspected
- A standard, aluminum V-Block that can handle mounting most parts. (Users can modify the V-Block or replace it with a custom mount for oddly shaped parts.)



*Easily attach the Luxxor® Video Camera to any Hawkeye® Borescope*

Hawkeye® Video Slide

Luxxor® Video Camera System	LXX-VBSM	\$3,640
Sony® Video Camera	XC-505	\$1,995
Luxxor® Video Coupler Lens	VC-25	\$395
Luxxor® 24 Light	LXX24	\$775
Luxxor® Light Guide	LXXLG	\$225
Hawkeye® SuperKit Carrying Case	HSC	\$250
Other Items Sold Separately	Model #	Price
Sony® Professional Video Monitor	SVM-15	\$1,350
USB 2.0 Image Capture Interface	VC-USB2	\$435
Hawkeye® Video Slide 24"	HVSLIDE-H24	\$795
Hawkeye® Video Slide 48"	HVSLIDE-H48	\$895
V-Block for Video Slide	HV-VBSTAGE-XY	\$250



Borescope sold separately



PRECISION BORESCOPIES

Every Hawkeye® Pro Rigid Borescope is designed with professional users in mind. These top-of-the-line rigid borescopes deliver bright, clear, detailed, high-contrast images.

Every Hawkeye Pro Rigid Borescope includes:

- Our latest endoGRINs® image relay lenses
- Multicoated objective lens
- LightConcentrator™ light post
- Independent focusing ring for convenient video and still photography
- Super bright, portable SuperNOVA™ Light, with rechargeable SuperNOVA Lithium-Ion batteries

Hawkeye Pro Precision Borescopes extend the proven Hawkeye virtues of first class quality and superior value.

Made in USA

**Independent Focusing Ring**  
Easy video & still photography

**e2 endoGRINs® Optics**  
Sharper, more detailed images

**Multi-Coated Objective Lens**  
Higher contrast & vivid color

**90° Mirror**  
More durable; easy to clean

**Pro Slim FOV 42°, DOV 0°**

○ Outside Diameter .165 inches (4.20 mm)

**Mirror Tube DOV 90°**

○ Outside Diameter .188 inches (4.80 mm)

**Hawkeye® Pro Slim Borescope Kits**

Lengths: 2" 7" 12" 17" and 22"	Model #	Price
2" Pro Slim Kit (50.8 mm)	PS02-NVK	\$1,295
7" Pro Slim Kit (180 mm)	PS07-NVK	\$1,295
12" Pro Slim Kit (305 mm)	PS12-NVK	\$1,395
17" Pro Slim Kit (435 mm)	PS17-NVK	\$1,495
22" Pro Slim Kit (560 mm)	PS22-NVK	\$1,895

**Pro Slim Prism FOV 70°, DOV 30°**

○ Outside Diameter .165 inches (4.20 mm)

**30° Prism Optics**

**LightConcentrator™**  
Brighter, more even light

**10x Intensity SuperNOVA™ Light**  
Brighter, clearer images

**Each Hawkeye® Pro Borescope Kit contains:**

- Hawkeye® Pro Precision Borescope
- Hawkeye® Mirror Tube
- Hawkeye® SuperNOVA™ Light and Charger
- Rugged Hawkeye® Carrying Case
- Hawkeye® Cleaning Kit



For individual borescopes and kit components see pages 30 - 31.



Video and lighting sold separately. See pages 12 - 13 and 28 - 29.



Made in USA

**Pro Slim™**  
**.165" (4.20 mm)**

The clarity and brightness of Hawkeye® Pro Slim Borescopes bring out all the details in your subject. The Pro Slim offers the best combination of small diameter, length, and bright illumination. Most machined metal parts afford ample access for the Hawkeye Pro Slim Borescope and mirror tube. You will clearly see burrs and surface finish in bores and cross-holes.

**Pro Slim Prism™**  
**.165" (4.20 mm)**

The forward oblique, 30° direction-of-view (DOV) of Hawkeye® Pro Slim Prism Borescopes deliver greater depth perception than either 0° or 90° DOV scopes. Additionally, the wide 70° field-of-view gives the viewer a much broader and more versatile view of the subject. The prism optics in Hawkeye borescopes represent our very latest optical design. Great image quality at hundreds less than comparable scopes!



**PRECISION BORESCOPIES**

*Sharper, brighter images with all the powerful Pro features:* e2 endoGRINs® lenses, multi-coated objective lenses, easy-to-clean mirror tubes, LightConcentrator™, and SuperNOVA™ Light. Independent focusing makes video and still photography easy.

**Pro MicroSlim™ .073" (1.85 mm)**

Hawkeye® Pro MicroSlim Borescopes are just .073 inches in diameter, or .084 inches with a mirror tube. Use them to inspect diesel fuel-injection nozzles miniature hydraulic components and much more.

**Pro SuperSlim™ .098" (2.40 mm)\***

At .098 inches in diameter, or .109 inches with a mirror tube, the Hawkeye® Pro SuperSlim Borescopes give sharp, clear views of the microscopic holes in spray tips and nozzles. Use them to inspect small bores for burrs, surface finish irregularities, and more.

\* The 10, 14, and 17 inch models are .110" (2.80 mm) in diameter.

Made in USA



**Pro MicroSlim** FOV 40°, DOV 0°

Outside Diameter .073 inches (1.85 mm) ○

**Mirror Tube** DOV 90°

Outside Diameter .084 inches (2.13 mm) ○



**Pro SuperSlim** FOV 40°, DOV 0°

Outside Diameter .098 inches (2.49 mm) 4" and 8" models ○

Outside Diameter .110 inches (2.80 mm) 10", 14" and 17" models ○

**Mirror Tube** DOV 90°

Outside Diameter .109 inches (2.77 mm) 4" and 8" models ○

Outside Diameter .128 inches (3.25 mm) 10", 14" and 17" models ○

**Hawkeye® Pro MicroSlim Borescope Kits**

Lengths: 3" 5" and 7"	Model#	Price
3" Pro MicroSlim Kit (80 mm)	MS03-NVK	\$1,695
5" Pro MicroSlim Kit (120 mm)	MS05-NVK	\$1,895
7" Pro MicroSlim Kit (178 mm)	MS07-NVK	\$2,095

**Hawkeye® Pro SuperSlim Borescope Kits**

Lengths: 4" 8" 10" 14" and 17"	Model #	Price
4" Pro SuperSlim Kit (102 mm)	PSS04-NVK	\$1,495
8" Pro SuperSlim Kit (185 mm)	PSS08-NVK	\$1,595
*10" Pro SuperSlim Kit (265 mm)	PSS10-NVK	\$1,695
*14" Pro SuperSlim Kit (350 mm)	PSS14-NVK	\$1,795
*17" Pro SuperSlim Kit (435 mm)	PSS17-NVK	\$1,895

\* The 10, 14, and 17 inch models are .110" (2.80 mm) in diameter.



**Every Hawkeye® Pro MicroSlim and SuperSlim Borescope Kit contains:**

- Hawkeye® Pro Precision Borescope
- Hawkeye® Mirror Tube
- Hawkeye® Shipping Sheath
- Hawkeye® SuperNOVA™ Light and Charger
- Rugged Hawkeye® Carrying Case
- Hawkeye® Cleaning Kit



For individual borescopes and kit components see pages 30 - 31.



**Pro Hardy** FOV 50°, DOV 0°

Outside Diameter .250 inches (6.35 mm)

**Mirror Tube** DOV 90°

Outside Diameter .313 inches (8.00 mm)

**Hawkeye® Pro Hardy Borescope Kits**

Lengths: 7" 12" 17" and 22"	Model #	Price
7" Pro Hardy Kit (180 mm)	PH07-NVK	\$1,395
12" Pro Hardy Kit (305 mm)	PH12-NVK	\$1,495
17" Pro Hardy Kit (435 mm)	PH17-NVK	\$1,595
22" Pro Hardy Kit (559 mm)	PH22-NVK	\$1,995



**Pro Super Hardy 37"**

Outside Diameter .283 inches (7.20 mm)

Outside Diameter .312 inches (8.00 mm)

**Pro Super Hardy 28"**

Outside Diameter .283 inches (7.20 mm)


Outside Diameter .312 inches (8.00 mm)

**Hawkeye® Pro Super Hardy Borescope Kits**

Lengths: 28" and 37"	Model #	Price
28" Pro Super Hardy Kit (711 mm)	PSH28-NVK	\$3,395
37" Pro Super Hardy Kit (940 mm)	PSH37-NVK	\$3,695



Video and lighting sold separately. See pages 12 - 13 and 28 - 29.



**Pro Hardy™ .250" (6.35 mm)**

Hawkeye® Pro Hardy Borescopes are rugged and bright. The quarter-inch diameter Pro Hardy gives 3x the illumination of the Pro Slim.

The Hawkeye Pro Hardy Borescope excels at looking into the larger, dark spaces of diesel and aircraft cylinders, tanks, pressure vessels, pipes, and even wall cavities.

**Pro Super Hardy™ .283" (7.20 mm)**

The slightly larger, 7.2 mm diameter Hawkeye® Pro Super Hardy Borescope, is invaluable when a 28- or 37-inch reach is required. The larger diameter, in combination with our patented e2 endoGRINs® lens relays, deliver an image almost 2.5x larger and 1.5x brighter than a regular Pro Hardy. Now, you can see clearly inside very deep bores, pipes, or tubes. As with all Hawkeye® Pro Precision Borescopes, the rugged Pro Super Hardy easily attaches to all Hawkeye® or Luxor® Light Sources and Video Systems.

Made in USA



PRECISION BORESCOPIES

**Exceptional quality and value!**

Made in USA

In 1995, the first Hawkeye® Precision Borescope broke new ground. Using our newly developed endoGRINs® gradient index lenses, we became able to offer image quality similar to the finest borescopes made anywhere in the world, and do so at one-third the price! Today, Hawkeye® Classic Rigid Borescopes are as great a value as they have always been. Hawkeye Classic Borescopes are used by building inspectors, technicians, sportsmen, manufacturers, and more. Exceptional value and quality have made Hawkeye® Rigid Borescopes the world leader in sales of rigid borescopes.

The Mini Maglite® flashlight is bright enough for most subjects, however, you can upgrade to the Hawkeye® SuperNOVA™ Light for brighter light and economy in heavy use. See page 30.

Made in USA

**Mini Maglite®**  
Ample light for close or reflective subjects

**Each Hawkeye® Classic Borescope Kit contains:**

- Hawkeye® Classic Precision Borescope
- Hawkeye® Mirror Tube
- Mini Maglite® Flashlight and Two AA Batteries
- Rugged Hawkeye® Carrying Case
- Hawkeye® Cleaning Kit



For individual borescopes and kit components see pages 30 - 31.

**Multi-Coated Objective Lens**  
Better contrast & color

**90° Mirror**  
More durable; easy to clean

**Classic Slim FOV 42°, DOV 0°**

○ Outside Diameter .165 inches (4.20 mm)

DOV 90°

○ Outside Diameter .188 inches (4.80 mm)

**Classic Hardy FOV 50°, DOV 0°**

○ Outside Diameter .250 inches (6.35 mm)

DOV 90°

○ Outside Diameter .313 inches (8.00 mm)

**Hawkeye® Classic Slim Borescopes Kits**

Lengths: 7" 12" 17" and 22"	Model #	Price
7" Classic Slim Kit (180 mm)	HS07-AF-KIT	\$945
12" Classic Slim Kit (305 mm)	HS12-AF-KIT	\$995
17" Classic Slim Kit (435 mm)	HS17-AF-KIT	\$1,045
22" Classic Slim Kit (560 mm)	HS22-AF-KIT	\$1,495

**Hawkeye® Classic Hardy Borescope Kits**

Lengths: 7" 12" and 17"	Model #	Price
7" Classic Hardy Kit (180 mm)	HH07-AF-KIT	\$995
12" Classic Hardy Kit (305 mm)	HH12-AF-KIT	\$1,045
17" Classic Hardy Kit (435 mm)	HH17-AF-KIT	\$1,095
22" Classic Hardy Kit (560 mm)	HH22-AF-KIT	\$1,595



Video and lighting sold separately. See pages 12 - 13 and 28 - 29.

**Classic Slim™ .165" (4.20 mm)**

At .165 inches in diameter, Hawkeye® Classic Slim Borescopes are by far our best selling borescopes. They are slim enough to fit into small holes, but provide plenty of light. The result is sharp, bright, clear images. Use Hawkeye Classic Slim Borescopes to inspect bores and cross-holes in machined metal parts.

**Classic Hardy™ .250" (6.35 mm)**

When access holes are large enough, Hawkeye® Classic Hardy Borescopes bring much more light to the subject. Their rugged, thick-walled stainless steel tubes have an outside diameter of a quarter-inch. Classic Hardys deliver 3x the illumination of the Classic Slim.

The Classic Hardy is ideal for inspecting castings, engine cylinders, internal welds, and pipes.

Hawkeye Classic Borescopes focus by rotating the eyecup. Cameras attach to the eyecup, so they turn too, rotating the image. We recommend Hawkeye® Pro Borescopes with cameras, because their independent focusing rings avoid camera and image rotation.

Made in USA





BLUE  
PRECISION BORESCOPIES

Hawkeye® Blue Swing Prism Borescopes have a tiny prism at the tip that pivots, or "swings," to vary the direction-of-view from 16° to 118°. A ring on the borescope body controls the prism direction. The field-of-view is 45°, so the borescope effectively sees from -7° to 133°.

Another ring focuses the borescope, and a third rotates the borescope tube over more than 360°, sideways in any direction, without turning the body.

Diesel engine mechanics use Swing Prism Borescopes to examine cylinders, pistons, and valves. Aircraft engine mechanics use the Swing Prism to locate and investigate FOD (foreign object damage and debris) in jet engines.



**Independent Focusing Ring**  
Easy video & still photography

**Swing Prism**

**View Rotation Ring**  
Rotates view more than 360°, independent of body

**Snap-on Handle**  
Convenient to hold & protects light guide

**Direction-of-View Ring**  
From 16° to 118°

**ACMI-Standard Light Post**  
Accepts any Hawkeye® or Luxxor® Light


**Independent Focusing Ring**  
Easy video & still photography

**Fixed Prism**

**View Rotation Ring**  
Rotates view more than 360°, independent of body

Swing Prism Scan: Valves    Cylinder Head    Cylinder Wall    Piston in Cylinder

Swing Prism Variable Direction-of-View (DOV)



Fixed Prism Directions-of-View (DOV's)

**Hawkeye® Blue Rigid Swing Prism Borescopes**

Diameter	Length	DOV	FOV	Model #	Price
○ .237" (6.0 mm)	9.60" (245 mm)	16° to 118°	45°	HBS 060 245 045	\$5,495
○ .237" (6.0 mm)	17.91" (455 mm)	16° to 118°	45°	HBS 060 455 045	\$5,995
○ .315" (8.0 mm)	12.80" (325 mm)	16° to 118°	45°	HBS 080 325 045	\$5,495
○ .355" (9.0 mm)	23.80" (605 mm)	16° to 118°	45°	HBS 090 605 045	\$5,995
○ .355" (9.0 mm)	31.69" (805 mm)	16° to 118°	45°	HBS 090 805 045	\$6,195

Other lengths available by special order.



Video and lighting sold separately. See pages 12 - 13 and 28 - 29.

**Hawkeye® Blue Fixed Prism Borescopes**

Diameter	Length	DOV	FOV	Model #	Price
○ .110" (2.8 mm)	4.72" (120 mm)	30°	90°	HBR 028 122 090	\$3,395
○ .110" (2.8 mm)	7.28" (185 mm)	90°	55°	HBR 028 187 055	\$3,395
○ .110" (2.8 mm)	12.36" (314 mm)	90°	55°	HBR 028 317 055	\$3,895
○ .157" (4.0 mm)	4.72" (120 mm)	70°	55°	HBR 040 125 055	\$3,395
○ .157" (4.0 mm)	6.89" (175 mm)	90°	55°	HBR 040 177 055	\$3,395
○ .157" (4.0 mm)	9.65" (245 mm)	30°	55°	HBR 040 242 055	\$3,695
○ .157" (4.0 mm)	11.81" (300 mm)	90°	55°	HBR 040 307 055	\$3,695
○ .157" (4.0 mm)	14.57" (370 mm)	70°	55°	HBR 040 375 055	\$3,695
○ .157" (4.0 mm)	16.73" (425 mm)	90°	55°	HBR 040 427 055	\$3,795
○ .228" (5.8 mm)	8.07" (205 mm)	90°	65°	HBR 058 217 065	\$3,395
○ .228" (5.8 mm)	13.58" (345 mm)	70°	65°	HBR 058 355 065	\$3,795
○ .228" (5.8 mm)	13.58" (345 mm)	90°	65°	HBR 058 357 065	\$3,795
○ .228" (5.8 mm)	19.09" (485 mm)	90°	65°	HBR 058 497 065	\$3,895
○ .228" (5.8 mm)	24.6" (625 mm)	90°	65°	HBR 058 627 065	\$3,895
○ .315" (8.0 mm)	12.79" (325 mm)	90°	65°	HBR 080 327 065	\$3,395
○ .315" (8.0 mm)	28.54" (725 mm)	90°	65°	HBR 080 727 065	\$3,895
○ .315" (8.0 mm)	32.91" (836 mm)	0°	100°	HBR 080 840 100	\$3,895

Other lengths available by special order.

Hawkeye® Blue Fixed Prism Borescopes offer directions-of-view of 0°, 30°, 70°, and 90°. They have medium to wide fields-of-view, ranging from 55° to 100°.

Use a Hawkeye Blue Fixed Prism Borescope for particularly large, dark spaces. Illumination and imaging channels are independent on Hawkeye Blue Rigid Borescopes, increasing image clarity and contrast.

In comparison, when borescopes with mirror tubes are used to inspect large, dark areas, the illuminating light and the image can intermix, lowering clarity and contrast if the mirror is not clean.

We deliver each Hawkeye Blue Swing and Fixed Prism Borescope in a lockable, fitted carrying case, for security and protection.

Made in Germany



**Quality optics at a great price!**  
**In our most popular length and diameters**

**Directional Control**  
 Articulate the tip with lever

**Durable, Tungsten Sheath**  
 Protection with flexibility

**90° Mirror Tip**

**90° Prism Tip**  
 (Optional)

Included with 5.0 mm only

Available for 5.0 and 6.0 mm

**4 Diameters**

.130", .157", .200" and .236"  
 (3.3, 4.0, 5.0 and 6.0 mm)



**Diameters**

- .130" Dia. (3.3 mm)
- .157" Dia. (4.0 mm)
- .200" Dia. (5.0 mm)
- .236" Dia. (6.0 mm)

Hawkeye® Pro Flexible Borescopes are available in diameters of 3.3, 4.0, 5.0 and 6.0 mm. The 3.3 mm can look inside very small bores, and navigate tight bends. The 4.0 mm is perfect for specialized applications like aircraft and helicopter maintenance inspection. Hawkeye® Pro Flexible Borescopes are tungsten-sheathed and each scope comes complete with the powerful, rechargeable SuperNOVA™ Light. These versatile borescopes set a new standard of excellence in quality and functionality, at a very reasonable price.

**You can see the difference!**



Hawkeye® Pro Flexible Borescope through-the-scope image



Low cost borescope through-the-scope image

**Each Hawkeye® Pro Flexible Borescope Kit contains:**

- Hawkeye® Pro Flexible Precision Borescope
- Hawkeye® Pro Flexible 90° Mirror Tip (5 mm only)
- Hawkeye® SuperNOVA™ Light and Charger
- Rugged Hawkeye® Carrying Case
- Hawkeye® Cleaning Kit

**Hawkeye® Pro Flexible Borescope Kits**

Diameter	Length	Articulation	DOV	FOV	Fibers	Sheath	Model #	Price
.130" (3.3 mm)	33.5" (0.85 m)	2-way	0°	45°	18,000	Tungsten	PFB3-NVK	\$5,995
.157" (4.0 mm)	33.5" (0.85 m)	2-way	0°	45°	18,000	Tungsten	PFB4-NVK	\$5,995
.200" (5.0 mm)	33.5" (0.85 m)	2-way	0°	45°	18,000	Tungsten	PFB5-NVK	\$5,995
.236" (6.0 mm)	33.5" (0.85 m)	2-way	0°	45°	18,000	Tungsten	PFB6-NVK	\$5,995
.236" (6.0 mm)	33.5" (0.85 m)	4-way	0°	45°	18,000	Tungsten	PFB6-4-NVK	\$6,695

For individual borescopes and kit components see pages 30 - 31.

\*Optional Prism Tip - \$995

Made in USA

Made in USA

**PRECISION BORESCOPIES**

Hawkeye® Pro Flexible Borescopes incorporate an 18,000 fiber, acid-leached imaging bundle, delivering truly excellent image resolution, sharpness, detail, and contrast. Lower cost alternatives do not deliver image quality nearly this high. Pro Flexibles also offer 2-, or 4-way articulation. Control the direction-of-view of the tip over a 240° range (±120°), using a thumb-lever on the aluminum borescope body. The lever can also be locked to hold a particular view.

**Articulation Lock**

**2- and 4-Way Articulation**  
 Remotely controlled

**18,000 Fibers**





BLUE

PRECISION BORESCOPIES


**2-Way Articulation**

Four Hawkeye® Blue Flexible Borescopes, in diameters from 2.5 mm to 6.0 mm, are 2-way articulating. Control the direction-of-view of the tip over a 240° range ( $\pm 120^\circ$ ), in a single plane, using a thumb-lever on the aluminum borescope body. Lock the lever to hold a particular view. The field-of-view is 45°, except for the 4 mm, which covers a wide 90° field. The viewable image is large and clear.

Choose the diameter and length you need. Larger diameters have more optical glass imaging fibers, giving higher resolution, and thus sharper, more detailed images.

Use Hawkeye Blue Flexible Borescopes to inspect complex castings like engine blocks, turbochargers, tubes, pipes, and turbine engines.

**High-quality, smaller diameters, longer lengths, 2- or 4-way articulation!**



**2-Way Articulation**

**90° Adapter**  
For 6.0 mm and 8.0 mm

**3 Diameters**  
.098", .158" and .236"  
(2.5, 4.0 and 6.0 mm)

**Super-Tough, Braided Tungsten Sheath**  
Protection with flexibility

**Superior Image Quality**  
Acid-leached 25,000 fiber bundle

**Directional Control**  
Control the tip direction & locking

**4-Way Articulation**  
Visibility in all directions

**4-Way Articulation**

The 8.0 mm diameter Hawkeye® Blue Flexible Borescope is 4-way articulating. Two lockable controls on the borescope body articulate the direction-of-view by  $\pm 120^\circ$ , on two mutually perpendicular planes.

The 8.0 mm Blue Flexible contains 25,000 optical glass imaging fibers. All imaging fiber bundles are acid-leached, reducing crosstalk between fibers and increasing contrast.

An impermeable plastic sheath prevents entry of fluids like fuel or oil. A tough, durable, woven tungsten sheath surrounds the plastic, reducing friction and protecting the scope from damage by burrs and sharp edges.

The standard ACMI light post on all Hawkeye Blue Flexible Borescopes accepts a Hawkeye® SuperNOVA™ Light or a Luxxor® Light Guide and Light. See pages 28 - 29.

*Hawkeye Blue Flexible Borescopes come in rugged, lockable carrying cases, with foam inserts for protection.*

Made in USA



**Hawkeye® Blue Flexible Borescopes**

Diameter	Length	Articulation	DOV	FOV	Fibers	Sheath	Model #	Price
.098" (2.5 mm)	27.5" (0.7 m)	2-way	0° <sup>1</sup>	60°	7,000	Tungsten	HBF 025 0700 60	\$7,995
.098" (2.5 mm)	47.2" (1.2 m)	2-way	0° <sup>1</sup>	60°	7,000	Tungsten	HBF 025 1200 60	\$9,995
.158" (4.0 mm)	59.1" (1.5 m)	2-way	0° <sup>1</sup>	90°	18,000	Tungsten	HBF 040 1500 90	\$8,995
.236" (6.0 mm)	70.8" (1.8 m)	2-way	0° <sup>2</sup>	45°	25,000	Tungsten	HBF 060 1800 45	\$8,995
.314" (8.0 mm)	70.8" (1.8 m)	4-way	0° <sup>2</sup>	45°	25,000	Tungsten	HBF 080 1800 45	\$9,995

Other lengths available by special order.

<sup>1</sup> Available in 0° standard or 90° by special order.

<sup>2</sup> 90° Adapters available for 6 mm and 8 mm – \$995 ea.

Made in USA



**Robust flexibility and economy!**

**PRECISION BORESCOPIES**

The Hawkeye® Classic Flexible Borescope has 18,000 optical glass fibers, delivering high resolution, sharpness, and image detail. An acid-leached fiber imaging bundle increases image contrast. Image quality is further enhanced by the super bright Hawkeye® SuperNOVA™ Light. The plastic-coated, stainless steel gooseneck sheath takes a set before insertion into a cavity. The Classic Flexible is simpler and much less expensive than articulating flexible borescopes.

The 90° Mirror Tip changes the direction-of-view of the Hawkeye Classic Flexible Borescope, just as mirror tubes do for the Hawkeye® Pro and Classic Rigid Borescopes. Use the Classic Flexible when indirect access is required, but the path is simple enough to set the borescope before entry.

*Hawkeye Classic Flexible Borescopes are not repairable; we offer a 10% discount on their replacement.*

Made in USA

**Hawkeye® Classic Flexible Borescope Kit**

Diameter	Length	Articulation	DOV	FOV	Fibers	Sheath	Model #	Price
.310" (7.9 mm)	39.4" (1.0 m)	None	0° & 90°	45°	18,000	Coated Stainless	HFB2-NVK	\$2,995

For individual borescopes and kit components see pages 30 - 31.



Timing chain in Honda 500 cc motorcycle

**18,000 Fibers**  
**Plastic-Coated, Stainless Steel Gooseneck Sheath**  
*Simply set the shape before insertion*

Outside Diameter  
.320 inches (8.1 mm)

**Mirror Tip**  
*Easily threads on for 90° view*

Outside Diameter  
.310 inches (7.9 mm)



**MicroFlex Semi-Rigid FOV 55°, DOV 0° or 90°**

Outside Diameter .035 inches (0.9 mm)

**MicroFlex Flexible FOV 55°, DOV 0°**

**Three Outside Diameters** • • •  
.020, .035, and .059 inches (0.5 mm, 0.9 mm, and 1.5 mm)

**Every Hawkeye® Pro MicroFlex Borescope Includes:**

- Hawkeye® Semi-Rigid or Flexible Borescope
- C-Mount Adapter
- Rugged Hawkeye® Carrying Case
- Hawkeye® Cleaning Kit

(Light Sources and Light Guides sold separately)

**Hawkeye® MicroFlex Semi-Rigid Borescopes**

Diameter	Length	DOV	Model	Model #	Price
.035" (0.9 mm)	6" (150 mm)	0°	Semi-Rigid	HSR 009 0150 55	\$3,195
.035" (0.9 mm)	6" (150 mm)	90°	Semi-Rigid	HSR 009 0159 55	\$4,795

**Hawkeye® MicroFlex Flexible Borescopes**

Diameter	Length	DOV	Model	Model #	Price
.020" (0.5 mm)	19.6" (0.5 m)	0°	Flexible	HSF 005 0600 55	\$4,795
.035" (0.9 mm)	39.4" (1.0 m)	0°	Flexible	HSF 009 1000 55	\$4,695
.059" (1.5 mm)	31.5" (0.8 m)	0°	Flexible	HSF 015 0800 70	\$4,795

**Optional Accessories**

Luxxor® Video Camera System (Pgs. 12 - 13)	LXX-VBSM	\$3,640
Luxxor® 24 Light Source	LXX24	\$775
Luxxor® Light Guide	LXXLG	\$225
Sony® Professional Video Monitor	SVM-15	\$1,350
USB 2.0 Image Capture Interface	VC-USB2	\$435



Video and lighting sold separately. See pages 12 - 13 and 28 - 29.



**Semi-Rigid**

**.035" (0.9 mm)**

The Nitinol-sheathed Hawkeye® MicroFlex Semi-Rigid Borescopes contain 10,000 fiber imaging bundles, are 6 inches long, and offer 0° and 90° views.

**Flexible**

**.020" (0.5 mm)**

**.035" (0.9 mm)**

**.059" (1.5 mm)**

The excellent image quality Hawkeye® MicroFlex Flexible Borescopes deliver, in these very small micro diameters, is nothing short of amazing! You can access even the smallest opening, and utilize a 9-inch bend radius when the entry path is not straight. The polyamide-sheathed 0.5 and 0.9 mm models have 10,000 pixel fiber imaging bundles, and the plastic-sheathed 1.5 mm has a 30,000 fiber bundle. The eyepiece is easily replaced with a video adapter to use a C-Mount camera. Quickly and easily inspect cooling holes inside turbine blades, cannulas, catheters, needles, trocars, valves in medical devices, and many other micro manufactured parts.

Made in USA



Hawkeye® Portable Light Sources are powerful, delivering go-anywhere convenience!

Any Hawkeye® or Luxxor® Light Source can be used with any Hawkeye® Rigid or Flexible Borescope

PRECISION BORESCOPIES



**Mini Maglite® Flashlight**

The Mini Maglite® flashlight comes with Hawkeye® Classic Borescope Kits. It gives plenty of light for shorter working distances and reflective surfaces.

**Hawkeye® LED Light**

This adjustable LED light source delivers brighter, whiter light than the Mini Maglite® flashlight, and offers much longer lamp life. Operates on standard AA batteries.

**Hawkeye® SuperNOVA™**

The Hawkeye® SuperNOVA™ Light comes with all Hawkeye® Pro Borescope kits, rigid and flexible. This xenon doped halogen light is bright enough for all but the largest and darkest cavities. It shows detail you would miss with a less powerful light.


	Rel. Intens.	Adj. Intens.	Power Source	Run Time	Lamp Life	Weight	Model #	Price
<b>Mini-Maglite® Flashlight</b>	1X	Yes	AA Alkaline	1 hr. (cont.)	2 hrs. (approx.)	5 oz. (142 g)	MMAA	\$25 (incl. adapter)
<b>Hawkeye® LED Light</b>	12X	Yes	AA Alkaline	3 hrs. (cont.)	50,000 hrs.	4 oz. (113 g)	HAWKEYE LED	\$135
<b>Hawkeye® SuperNOVA™</b>	10X	Yes	Rechrg. Li-Ion	3 hrs. (cont.)	25 hrs.	13.5 oz. (380 g)	SuperNOVA	\$225



**Dual UV & White Light Inspection**

**UV Light Source**

The 200-watt, Mercury Arc Lamp, UV Light Source is amazingly bright, and allows users to easily switch from white light to ultraviolet (UV) light! In the UV mode it works best with shorter length Hawkeye rigid borescopes. When used in conjunction with fluorescent dye penetrants, it provides reliable, non-destructive inspection of mission-critical parts, such as those used in aerospace and automotive applications. A Liquid Light Guide is required.



	Rel. Intens.	Adj. Intens.	Power Source	Run Time	Lamp Life	Weight	Model #	Price
<b>UV-Light Source<sup>2</sup></b>	90X	Yes	10V - 260V	Indefinite	1500 hrs.	20 lbs. (9.0 kg)	UV-LIGHT	\$6,900
 <b>Liquid Light Guide</b> (Connects Lumatec UV Light to Hawkeye® Borescopes)						Length 6'	UV-LIGHT GUIDE	\$500

<sup>2</sup>Liquid Light Guide required.

**Customer Service**

**30-Day Customer Satisfaction Guarantee for Direct Customers**

If, for any reason, you are not satisfied with your purchase from us:

- Contact customer service within 30 days.
- We give you a Return Merchandise Authorization (RMA) number.
- You ship the product back, in **original condition**, with all packaging.
- We refund the purchase price, minus our shipping and handling costs.
- If you bought from one of our dealers, please contact them directly.

**Please call for an RMA number first. We will not accept products without it.**

**Limited Warranty**

Gradient Lens Corporation warrants that all Hawkeye borescopes and accessories will be free of defects in materials and workmanship for one year from the date of first retail purchase, with the exception of broken optics.

Video and lighting products have manufacturers' warranties of one year.

**Service**

- For warranty claims, repairs, or if you are not sure which:
- Contact customer service
  - We give you a Return Merchandise Authorization number
  - You ship the product back. Pack it well.

- If the product meets our warranty conditions, we will repair or replace it. If it does not, there are two options:
  - Get an estimate of repair or replacement cost.
  - Have us repair it without an estimate.
- If we cannot repair a Hawkeye Pro or Classic Rigid Borescope, we will replace it at a 20% discount off the current list price, in return for the broken one.
- Service charges for Hawkeye Blue Borescopes require individual factory estimates, which take longer. We offer a 10% discount on replacement, if not repairable.
- We offer a 10% discount on the replacement of Hawkeye Pro MicroFlex, Classic Flexible, and Pro Flexible borescopes when they are not repairable.

**All prices and specifications subject to change without notice.**

**Payment**

Domestic customers: We accept most major credit cards, bank and personal checks (subject to clearance). We offer net 30-day accounts for approved businesses, subject to delay for processing.

International customers: We accept credit cards, wire transfers, or US dollar bank drafts. There is a US \$30 export-processing fee, for international shipments. Contact us for more information.

**Shipping**

UPS, FedEx, and DHL Global (Not the US Postal Service)

**Contact:**

Gradient Lens Corporation  
 Phone: 1.800.536.0790 or 1.585.235.2620  
 East Coast: 207 Tremont St., Rochester, NY 14608  
 West Coast: 4647 Jackson Lane, Unit D, Phelan, CA 92371



Luxxor® Benchtop Light Sources use super-bright and efficient metal-halide arc lamps.



**Luxxor® 24 Light Source**

The Luxxor® 24 Light has a 24-watt metal-halide arc lamp, for very high brightness. It is 60% brighter than a typical 150-watt halogen light. Use it for dark, deep subjects and video or still photography.



**Luxxor® 50 Light Source**

To photograph very large, dark cavities, like the combustion chambers of turbine engines, marine diesel cylinders, or tanks, the Luxxor 50 Light Source is incredibly powerful. Its 50-watt metal-halide arc lamp is twice as bright as the Luxxor 24.

	Rel. Intens.	Adj. Intens.	Power Source	Run Time	Lamp Life	Weight	Model #	Price
<b>Luxxor® 24<sup>1</sup></b>	30X	Yes	110V - 240V	Indefinite	500 hrs.	2.3 lbs. (1.0 kg)	LXX24	\$775
<b>Luxxor® 50<sup>1</sup></b>	60X	Yes	110V	Indefinite	2500 hrs.	5.3 lbs. (2.4 kg)	LXX50	\$2,995
 <b>Luxxor® Light Guide</b> (Required to connect all Luxxor® Light Sources to Hawkeye® Borescopes)						Length 7'	LXXLG	\$225

<sup>1</sup> Luxxor Light Guide required.



**Hawkeye® Angled Eyepiece**

When you cannot position your eye close to a borescope eyecup, the Hawkeye Angled Eyepiece makes it accessible. It clamps onto the eyecup and reflects the image 90° through its own focusing eyepiece.

**Angled Eyepiece (AE-9003) \$275**



*The Hawkeye Angled Eyepiece inverts the image, correcting the image inversion of a mirror tube. Its excellent optics sustain the high image quality of the borescopes.*

**Video Coupler Lens**

The Video Coupler Lens connects borescopes to video cameras for live video inspection and documentation. They deliver a full field-of-view and are available in 25 mm, 35 mm and 75 mm focal lengths.



Item	Catalog #	Price
25 mm Focal Length Coupler	VC-25	\$395
35 mm Focal Length Coupler	VC-35	\$395
35 mm Adjustable Focus Coupler	HVA-2	\$495
75 mm Focal Length Coupler	VC-75	\$595

**Protective Sheaths**

Protective sheaths fit over Pro or Classic rigid borescopes. We offer them in all diameters for 3" - 22" scopes. Call, or visit, our website for Catalog #.



Item	Price
Protective Sheaths	\$75

Components

Most customers buy complete Hawkeye® Pro and Classic Borescope Kits. However, all of the kit components are also available separately and are listed below. **Prices are for borescopes only. Light sources and cases are sold separately.**

**Hawkeye® V2 Video Borescope Accessories**

Item	Catalog #	Price
V2 Charger	V2 Charger	\$30
Spare Battery	PVM50 BATTERY	\$50
Spare Battery Charger	PVM50 BATT CHR	\$30
V2 LED Lightsource	V2-LED-KIT	\$750
Lightsource Batteries	V2-LED-NI-BATT	\$12
Lightsource Battery Charger	V2-LED-NI-CHRG	\$25
4mm V2 Rigidizer	V2-RT4	\$195
6mm V2 Rigidizer	V2-RT6	\$195
V2 Stand	V2-Stand	\$95



**Hawkeye® Pro Precision Borescopes (cont'd)**

Diameter	Length	Catalog #	Page	Price
SuperSlim .098"	4"	PSS04	16	\$1,095
SuperSlim .098"	8"	PSS08	16	\$1,195
SuperSlim .110"	10"	PSS10	16	\$1,295
SuperSlim .110"	14"	PSS14	16	\$1,395
SuperSlim .110"	17"	PSS17	16	\$1,495
Slim .165"	2"	PS02	15	\$895
Slim .165"	7"	PS07	15	\$895
Slim .165"	12"	PS12	15	\$995
Slim .165"	17"	PS17	15	\$1,095
Slim .165"	22"	PS22	15	\$1,495
Slim Prism	7"	PS07-30	15	\$1,595
Slim Prism	12"	PS12-30	15	\$1,695
Slim Prism	17"	PS17-30	15	\$1,795
Hardy .250"	7"	PH07	17	\$995
Hardy .250"	12"	PH12	17	\$1,095
Hardy .250"	17"	PH17	17	\$1,195
Hardy .250"	22"	PH22	17	\$1,595
Super Hardy .283"	28"	PSH28	17	\$2,650
Super Hardy .283"	37"	PSH37	17	\$2,950

**Hawkeye® Classic Precision Borescopes**

Diameter	Length	Catalog #	Page	Price
Slim .165"	7"	HS07-AF	19	\$775
Slim .165"	12"	HS12-AF	19	\$825
Slim .165"	17"	HS17-AF	19	\$895
Slim .165"	22"	HS22-AF	19	\$1,095
Hardy .250"	7"	HH07-AF	19	\$845
Hardy .250"	12"	HH12-AF	19	\$895
Hardy .250"	17"	HH17-AF	19	\$945
Hardy .250"	22"	HH22-AF	19	\$1,195

**Hawkeye® Pro Precision Borescopes**

Diameter	Length	Catalog #	Page	Price
MicroSlim .073"	3"	MS03	16	\$1,295
MicroSlim .073"	5"	MS05	16	\$1,495
MicroSlim .073"	7"	MS07	16	\$1,695



**Hawkeye® Classic Flexible Borescopes**

Diameter	Length	Catalog #	Page	Price
Classic Flex .310"	39.4"	HFB2	26	\$2,645
Classic 90° Mirror Tip		HFB-90-2	26	\$150

**Hawkeye® Pro Flexible Borescopes**



Diameter	Length	Catalog #	Page	Price
Pro Flex .130"	33.5"	PFB3	22	\$5,795
Pro Flex .157"	33.5"	PFB4	22	\$5,795
Pro Flex .200"	33.5"	PFB5	22	\$5,795
Pro Flex .236"	33.5"	PFB6	22	\$5,795
Pro Flex .236"	33.5"	PFB6-4	22	\$6,495
90° Prism Tip .200"		FTP-5-90	22	\$995
90° Mirror Tip .200"		FTP-5-PFB	22	\$295

**Hawkeye® Blue Flexible 90° Adapters**

Item	Catalog #	Page	Price
6 mm 90° Prism Tip	FTP-6-90	24	\$995
8 mm 90° Prism Tip	FTP-8-90	24	\$995

**Replacement Lamps & Batteries**

Item	Catalog #	Qty.	Price
SuperNOVA™ Lamps	SN-BULB-KIT	Pkg. of 12	\$78
Mini Maglite® Lamps	MM1-LAMP-KIT	Pkg. of 24	\$30
Luxxor® 24 Lamp	LXX-LAMP-24	one (1)	\$180
Luxxor® 50 Lamp	LXX-LAMP-50	one (1)	\$595
UV Lamp	UV-LAMP	one (1)	\$695
SuperNOVA™ Battery Kit	SN-BATT-KIT	two (2)	\$65

**Best service in borescopes, bar none.**

All prices apply to both Hawkeye Pro and Classic rigid borescopes.

Diameter	Length	Description	Catalog #	Price
Hardy .250"	7"	Borescope Repair	REP-HH07	\$195
Hardy .250"	12"	Borescope Repair	REP-HH12	\$225
Hardy .250"	17"	Borescope Repair	REP-HH17	\$245
Hardy .250"	22"	Borescope Repair	REP-HH22	\$345
Super Hardy	28"	Borescope Repair	REP-PSH28	\$695
Super Hardy	37"	Borescope Repair	REP-PSH37	\$695
Slim .165"	7"	Borescope Repair	REP-HS07	\$195
Slim .165"	12"	Borescope Repair	REP-HS12	\$225
Slim .165"	17"	Borescope Repair	REP-HS17	\$245
Slim .165"	22"	Borescope Repair	REP-HS22	\$345
Slim Prism	All	Objective Lens Repair	REP-PSPO	\$600
Slim Prism	7"	Rod Repair	REP-PS07-30	\$195

**Please call for an estimate regarding repairs of fiberscopes and videoscopes.**

Hawkeye®, Luxxor®, and endoGRINS® are trademarks of Gradient Lens Corporation. SONY® is a trademark of Sony Corporation of America. Mini Maglite® is a trademark of Mag Instrument, Inc., as is the shape, style, and overall appearance of the Mini Maglite® flashlight. Mag Instrument, Inc. is not affiliated with Gradient Lens Corporation. The contents of this product were combined and marketed by Gradient Lens Corporation. Mag Instrument, Inc. does not sponsor, warrant, or endorse the combination.

**Hawkeye® Pro & Classic Borescope Mirror Tubes**



Diameter	Length	Catalog #	Page	Price
MicroSlim .084"	3"	MTMS03	16	\$195
MicroSlim .084"	5"	MTMS05	16	\$225
MicroSlim .084"	7"	MTMS07	16	\$255
SuperSlim .109"	4"	MTSS04	16	\$175
SuperSlim .109"	8"	MTSS08	16	\$195
SuperSlim .150"	10"	MTSS10	16	\$215
SuperSlim .150"	14"	MTSS14	16	\$235
SuperSlim .150"	17"	MTSS17	16	\$255
Slim .188"	2"	MTS02	15, 19	\$150
Slim .188"	7"	MTS07	15, 19	\$135
Slim .188"	12"	MTS12	15, 19	\$145
Slim .188"	17"	MTS17	15, 19	\$155
Slim .188"	22"	MTS22	15, 19	\$195
Hardy .313"	7"	MTH07	17, 19	\$145
Hardy .313"	12"	MTH12	17, 19	\$155
Hardy .313"	17"	MTH17	17, 19	\$165
Hardy .313"	22"	MTH22	17, 19	\$205
Super Hardy .312"	28"	MTSH28	19	\$295
Super Hardy .312"	37"	MTSH37	19	\$295

Repairs

Diameter	Length	Description	Catalog #	Price
Slim Prism	12"	Rod Repair	REP-PS12-30	\$225
Slim Prism	17"	Rod Repair	REP-PS17-30	\$245
Classic to Pro Upgrade			RETRO	\$295
MicroSlim .073"	3"	Borescope Repair	REP-HMS03	\$400
MicroSlim .073"	5"	Borescope Repair	REP-HMS05	\$500
MicroSlim .073"	7"	Borescope Repair	REP-HMS07	\$500
SuperSlim .098"	4"	Borescope Repair	REP-HSS04	\$270
SuperSlim .098"	8"	Borescope Repair	REP-HSS08	\$290
SuperSlim .110"	10"	Borescope Repair	REP-PSS10	\$345
SuperSlim .110"	14"	Borescope Repair	REP-PSS14	\$395
SuperSlim .110"	17"	Borescope Repair	REP-PSS17	\$445
All	All	Mirror Replacement	MREP	\$85